

**GOVERNMENT OF ANDHRA PRADESH
ABSTRACT**

Estt - Irrigation & CAD Department – APES – Sri.J.Vinaya Kumar Peter, Chief Engineer (retd)- Re-fixation of pay in the cadre of Chief Engineer due to release of stagnation increments in the Cadre of Superintending Engineer – Orders – Issued.

=====

IRRIGATION & C.A.D. (SER.II) DEPARTMENT

G.O.Rt.No. 109

Dated: 29 .1. 2009

Read the following:-

- 1.From the Chief Engineer, (P)Irrigation, Karimnagar
Lr.No.CE/(P)/Irrign/LMD/A3/Estt/1147,Dated:6.9.2008.
- 3.Government Memo. No.31441/Ser.II(1)/08,Dated:17-11-2008
- 4.From the Engineer-in-Chief (AW) Irrigation & CAD
Lr.No.RC/ENC/B3/25746/2008,Dated:17.11.2008.

<< >>

ORDER:

In the reference 3 rd read above, the Engineer-in-Chief (AW) Irrigation & CAD Department, furnished proposals for Re-fixation of pay in respect of Sri.J. Vinay Kumar Peter Chief Engineer (Retd) under F.R 22 (b) from the date of assumption of charge as Chief Engineer, w.e.f 26.9. 2000.

Accordingly the pay of Sri.J.Vinay Kumar Peter, Chief Engineer (Retd) is revised and fixed is as follows:

1	Date of promotion/assumption of charges as C.E. Scale of pay of Chief Engineer in RPS, 1999.	14,425-525-19150
2	Pay as on 25.9.2000 in the Cadre of SE in the time scale of pay of Rs.10,950-17525	Rs 17.575(1st Stag Incre) +525/- (2 nd Stag Incre) 525/- Rs.18.625/-+25
3.	Additional Notional Increment under FR 22 (B) with effect from 26.....9.2000	Rs. 18..825/- + 525/- 19,150/- + 25 FPI
4	Pay fixed as on 26.9.2000 FN in the cadre of Chief Engineer under the time scale of pay of Rs.14425-5250-19160	Rs.19,150/- + 525 (1 st Stag Incre) + 25 FPI

5	Pay is to be fixed as on 26.9.2000 FN in the cadre of Chief Engineer under the time scale of pay of Rs.14425-525-19160	19,150/- + 25 FPI 525/-
6	The individual was retired from service on 31.10.2000	

4. The ENC, (AW) Irrigation & CAD Department., Hyderabad is requested to draw and disburse the arrears, as per the revised pay, if nay due to the retired Chief Engineer take necessary action accordingly.

5. If the pay now fixed in Para 3 above, is afterwards found to be in excess of that to which the retired Chief Engineer is actually entitled due to erroneous fixation of pay, the same will be recovered from his pension in lump sum.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S .K.JOSHI,
PRINCIPAL SECRETARY TO GOVERNMENT.

To

Sri . J.Vinay Kumar Peter, Chief Engineer (retd) through the Engineer-in-Chief, (AW) Irrigation & CAD Department ., Hyderabad.

The Engineer-in-Chief, (AW) Irrigation & CAD Department ., Hyderabad.
(S.R.Enclosed)

Copy to:

The Chief Engineer (P) Karimnagar,

The Accountant General, A.P., Hyderabad.

The PAO Concerned through the ENC (AW) I & CAD Department.

Stock File/SC

//Forwarded: : By Order//

SECTION OFFICER.